

FISH & RICHARDSON P.C.

225 Franklin Street
Boston, Massachusetts
02110-2804

Telephone
617 542-5070

Facsimile
617 542-8906

Web Site
www.fr.com

Date October 24, 2003

To Michael T. Cygan, Patent Examiner
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
Telephone: 703-305-0846

Facsimile number 04373-01500001 / (703) 872-9318

From Timothy A. French

Re Applicant: James P. O'Shea
Serial No. 10/024,431
Filed: December 18, 2001
Our Ref.: 04373-015001

Number of pages
including this page 2

Message Kindly deliver to Examiner Cygan upon receipt.

RECEIVED
CENTRAL FAX CENTER
OCT 24 2003

OFFICIAL

NOTE: This facsimile is intended for the addressee only and may contain privileged or confidential information. If you have received this facsimile in error, please immediately call us collect at 617 542-5070 to arrange for its return. Thank you.

Attorney's Docket No.: 04373-015001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : James P. O'Shea
Serial No. : 10/024,431
Filed : December 18, 2001
Title : TANK VOLATILE LIQUID LEVEL OR VOLUME GAUGE

Art Unit : 2856
Examiner : Michael T. Cygan


Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

ASSOCIATE POWER OF ATTORNEY

Please recognize James W. Babineau, Registration No. 42,276, and David L. Schuler, Registration No. 51,190 as my associate attorneys in the above application, with full powers. Please continue to direct all official communications to the undersigned.

Respectfully submitted,

Date: Oct 24, 2003


Timothy A. French
Reg. No. 30,175

Fish & Richardson P.C.
225 Franklin Street
Boston, MA 02110-2804
Telephone: (617) 542-5070
Facsimile: (617) 542-8906

20744670.doc

RECEIVED
CENTRAL FAX CENTER
OCT 24 2003

OFFICIAL

CERTIFICATE OF TRANSMISSION BY FACSIMILE

I hereby certify that this correspondence is being transmitted by facsimile to the Patent and Trademark Office on the date indicated below.

October 24, 2003

Date of Transmission

Signature



Diane M. Miles

Typed or Printed Name of Person Signing Certificate